Unified Software Development Process	
	1

### **USDP**

- USDP is an industry standard software development process
  - Free!
  - The generic process for the UML
- USDP is:
  - Use-case and risk driven
  - Architecture centric
  - Iterative and incremental
- For reference: Ivar Jacobson, Grady Booch, James Rumbaugh: The Unified Software Development Process. Addison Wesley. 1999

3


### USDP for your project...

- USDP is a generic software engineering process. It has to be customised (instantiated) for your project:
  - In-house standards
  - Document templates
  - Tools
  - Databases
  - Lifecycle modifications
- Rational Unified Process is an instantiation of USDP. RUP is a product marketed and owned by Rational Corporation
- RUP also has to be instantiated for your project!

### **Iterations**

- Iterations are the key to the USDP
- Each iteration is like a mini-project including:
  - Planning
  - Analysis and design
  - Integration and test
  - An internal or external release
  - The result of an iteration is an increment
- We arrive at a final product release through a sequence of iterations
- Iterations contain workflows
- Iterations are organised into phases

F



# Iterations may overlap



In order to allow parallel development and flexible working in large teams, iterations can, and often do, overlap. In the example above, Iteration 1 overlaps significantly with iteration 2





### **Increments**


- Each iteration generates internal (or external)
   releases of various artefacts which together constitute
   a baseline
- A baseline is a set of reviewed and approved artefacts that:
  - Provides an agreed basis for further review and development
  - Can be changed only through a formal procedure such as configuration and change management
- An increment is the difference between the release of one iteration and the release of the next
  - The result of an iteration is an increment


### **USDP** Lifecycle


- The USDP lifecycle is divided into a sequence of phases
- · Each phase may include many iterations
  - The exact number of iterations per phase depends on the size of the project!
  - One iteration per phase for small projects
- Each phase concludes with a major milestone












# Resource for a difficult project



If we consider a project of greater than normal difficulty, then this is how the total resource for the project is likely to be distributed over the phases
 Inception • Note that for more difficult projects more resource is used in the early phases

15

### **Phases**

- For each phase we will consider:
  - The goal for the phase




- The focus in terms of the core workflows



- The milestone at the end of the phase







# **Inception - Goals**



- Establish feasibility of the project
- Create a business case
- Capture key requirements
- Scope the system
- Identify critical risks
- Create proof of concept prototype






# Life Cycle Objectives




- · Conditions of satisfaction:
  - System scope has been defined
  - Key requirements for the system have been captured. These have been defined and agreed with the stakeholders
  - An architectural vision exists. This is just a sketch at this stage
  - A Risk Assessment
  - A Business Case
  - Project feasibility is confirmed
  - The stakeholders agree on the objectives of the project



### Elaboration - Goals



- · Create an executable architectural baseline
- Refine Risk Assessment
- Define quality attributes (defect rates etc.)
- Capture use-cases to 80% of the functional requirements
- Create a detailed plan for the construction phase
- Formulate a bid which includes resources, time, equipment, staff and cost



## How many use-cases?

- Our goal is to find sufficient use-cases to allow us to build a system
- Aim to identify about 80% of the use-cases based on a consideration of functional requirements
  - The other 20% will come out in later phases if important
- Aim to model in detail only about 40% to 80% of the set of identified use-cases
- For each use-case modelled in detail, only a small fraction of the possible scenarios may need to be modelled

Model just enough use-cases to capture the information you need!


2

# Elaboration - Focus Requirements - refine system scope and requirements Analysis - establish what to build Design - create a stable architecture Implementation - build the architectural baseline Test - test the architectural baseline

# Life Cycle Architecture




- · Conditions of satisfaction:
  - A resilient, robust executable architectural baseline has been created
  - The Risk Assessment has been updated
  - A project plan has been created to enable a realistic bid to be formulated
  - The business case has been verified against the plan
  - The stakeholders agree to continue




### Construction - Goals



- Completing use-case identification, description and realisation
- · Finish analysis, design, implementation and test
- Maintain the integrity of the system architecture
- Revise the Risk Assessment



# Construction - Focus Requirements – uncover any requirements that had been missed Analysis – finish the analysis model Design – finish the design model Implementation – build the Initial Operational Capability Test – test the Initial Operational Capability



# Primary and secondary tasks


- Primary tasks:
  - Everything that contributes directly to the next increment
- Secondary tasks:
  - Everything else!
  - Attack risks with behavioural prototypes
  - Solve critical problems with taskforces (tiger teams)
  - Research into problem and solution domains
  - Bug tracking and reporting

33

### **Initial Operational Capability**




- Conditions of satisfaction:
  - The product is ready for beta testing in the user environment




### Transition - Goals



- Correct defects
- Prepare the users site for the new software
- Tailor the software to operate at the users site
- Modify software if unforeseen problems arise
- Create user manuals and other documentation
- Provide customer consultancy
- Conduct post project review





### Product Release



- Conditions of satisfaction:
  - Beta testing, acceptance testing and defect repair are finished
  - The product is released into the user community

39

### **Key Points**

- USDP is the iterative and incremental software engineering process for the UML
- USDP has four phases:
  - Inception
  - Elaboration
  - Construction
  - Transition
- Each phase may have one or more iterations
- Each iteration has five iteration workflows
  - Requirements, Analysis, Design, Implementation, Test